


# PTFE POROUS GLASSCLOTH

**PTFE POROUS GLASSCLOTH RGP914-1** is a lightly coated PTFE-glasscloth based on a heavy weight fibreglass reinforcement. It is specifically designed to provide limited porosity.

**PTFE POROUS GLASSCLOTH RGP914-1** is typically used as a specialist release fabric and bleeder cloth in advanced composites and moulding processes.

TYPICAL PROPERTIES	UNIT	VALUE	TEST METHOD
<b>Weight:</b>	g/m <sup>2</sup>	360	FTMS 191A – 5041
<b>Thickness:</b>	mm	0.320	FTMS 191A – 5030
<b>Tensile Strength:</b>	N/cm	610 x 540	FTMS 191A – 5102
<b>PTFE Content:</b>	%	19	-
<b>Temperature Resistance:</b>	°C	-150 to +260	-
<b>Standard Widths:</b>	mm	1525	-

**TECHPLAS UK**



## RGP914-1

**Techplas UK** Performance  
Plastics sales fabrication  
and distribution are situated  
at:

1 Tanhouse Lane, Widnes,  
Cheshire, WA8 0RZ

Tel: +44 (01925) 604812

Fax: +44 (01925) 602449

Email:  
carolecatterall@aol.com

The data listed herein fall within the normal range of product properties for the products described, but they should not be used to establish specification limits nor used alone as the basis of design. Techplas UK assumes no obligation or liability for any advice furnished by it or for results obtained to these products. All such advice is provided gratis and Buyer assumes sole responsibility for results obtained in reliance thereon. Techplas UK warrants that the material itself does not knowingly infringe any patent, but no license is implied nor is any further warranty made.